

Cuxavit ß-carotene 10%

Cuxavit ß-carotene contains 10 % stabilised beta-carotene to be used in premixes, mineral feed and compound feed for animal nutrition. Besides its function as a precursor of vitamin A, beta-carotene promotes fertility, enhances resistance to infections and improves immune responses. Dietary supplementation is recommended when intake of green forage is low or the natural content of beta-carotene is reduced.

Legal status:

According to regulation (EC) 1831/2003 as preparation approved feed additive beta-carotene (3a160(a))

Description:

Free flowing red to red-brown micro granulate, partly with some white starch spots. Beta-carotene is encapsulated in a matrix of gelatin and carbohydrates and is stabilized with antioxidants. Carrier is maize starch. Particle size min. 95 % < 850 μm

Activity:

min. 100 g beta-carotene per kg

Drving loss:

max. 8 %

Bulk density:

ca. 0.6 g/cm³

Solubility:

Partly dispersible in water

Animal categories:

Approved for all animal species

Recommended dosage:

Daily dosage Cuxavit ß-carotene per animal
Dairy cows 3,000 - 5,000 mg
Sows 3,000 mg
Mares 4,000 - 8,000 mg
Calves 500 - 1,000 mg
Dogs and cats 300 - 500 mg

Storage:

Keep tightly sealed in a cool and dry place

Shelf life:

Guaranteed contents for 24 months if kept under proper storage conditions in original packaging

Packaging:

Carton box lined with aluminium foil bag with a net weight of 20 kg

Code number:

46388, 46389, 46390

